

CLIENT DETAILS:

Company name:	Reference number:
Address:	Purchase order number:
Contact person:	Date sent:
Phone:	Sample condition:
Email:	

SAMPLE DETAILS:

1.	7.
2.	8.
3.	9.
4.	10.
5.	11.
6.	12.

TESTING REQUIRED:

Swabs and product	Water
Air plates: yeast and mould / bacteria	Total aerobic counts at 22°C and 37°C
<i>Bacillus cereus</i> count	Total/faecal coliform/ <i>E.coli</i> counts
<i>Clostridium perfringens</i> count	Environmental swabs
Coagulase-positive Staphylococci count	Listeria isolation
Faecal coliform count	Molecular Detection System Salmonella (MDS)
Listeria isolation	Molecular Detection System Listeria (MDS)
Molecular Detection System Listeria (MDS)	Salmonella isolation
Molecular Detection System Salmonella (MDS)	Hygiene evaluation (swabs)
pH	Staphylococci (grade)
Salmonella isolation	Total coliform (grade)
Total aerobic count	Total count (grade)
Total coliform/ <i>E.coli</i> count	Additional test requests:
Yeasts and moulds count	

A comprehensive list of testing available can be found on the Awanui Scientific website. Tests may be sub-contracted to an approved laboratory.

Laboratory use only	<i>Case number label</i>
Date received:	
Processed by:	

July 2023